



# PALLETS FOR BRICK ■ BLOCK ■ PAVER



पर्यावरण प्रहरी

**RAJRATAN**<sup>®</sup>

स्वच्छ रहें - स्वस्थ रहें

A Group Dedicated to Preserve Nature and Environment



## Made up from 100% Industrial Plastics | Each Pallet Moulded Separately

A composite board manufactured by a mix of Industrial Grade plastics (PP, LDPE & HDPE), Aluminium Oxide, Fibres & XLP metals. Each pallet is designed & Moulded individually as per the Customer's requirement and machine type to get the Best Product for Longer Service & with Better Weight holding capacity.


**21 YEARS OF  
EXPERIENCE**

**THICKNESS AVAILABLE: 12, 18, 21, 25 & 30 MM  
CUSTOM SIZES AVAILABLE ON ORDER BASIS**



**40%**  
**BUYBACK  
REPLACEMENT**

## KEY ELEMENTS



CORNER FILLET FOR  
SMOOTH HANDLING



EVENLY THICK EDGES  
ADDITIONALLY SANDED

**UP TO  
10  
YEARS OF  
SERVICE LIFE**

## PROPERTIES



**WATER PROOF**



**UV RESISTANT**



**STRONG & DURABLE**



**EASY TO CLEAN**



**DO NOT CRACK,  
DEFORM OR DEGRADE**



**RECYCLABLE**



**LONGER SERVICE**



# OUR PORTFOLIO



24 6  
STATES UT



200+  
CITIES  
NETWORK



4000+  
SATISFIED  
CUSTOMERS



21+  
YEARS OF  
EXPERIENCE



50 Lakh+  
PALLET  
SUPPLIED


## PALLET SUPPLIED FOR





INDIA'S LARGEST MANUFACTURER OF  
COMPOSITE PALLETS FOR BRICK, BLOCK & PAVERS

# CUSTOMER LOCATION





# FIBRE REINFORCED BOARD

## Composition



Mix Plastic  
(Industrial Grade)

**65%**



Aluminum Oxide

**20%**



Cotton Fibre

**15%**

## TECHNICAL SPECIFICATION

Density

1.08  
GMS/CM<sup>3</sup>

Service Life

3 - 4  
YEARS

Thickness

12,18,21  
MM



## Recommended Application



TOP PRESS HYDRO MACHINE



VIBRATING TABLE SYSTEM

## Product Gallery



FLY ASH BRICKS, REFLECTIVE PAVERS,  
PARKING TILES





# METAL REINFORCED BOARD

## Composition



Mix Plastic  
(Industrial Grade)

62%



Aluminum Oxide

23%



XLP Metals

15%

## TECHNICAL SPECIFICATION

Density

1.13  
GMS/CM<sup>3</sup>

Service Life

5 - 6  
YEARS

Thickness

18,21,25  
MM



## Recommended Application



IMPORTED VIBRO MACHINE



HYDRO VIBRO MACHINE

## Product Gallery



FLY ASH BRICKS, ALL TYPES OF PAVERS,  
HOLLOW & OTHER LIGHT WEIGHT BLOCKS





# STEEL REINFORCED BOARD

## Composition



Mix Plastic  
(Industrial Grade)

62%



Aluminum Oxide

23%



XLP Metals

15%



Steel Tube Frame  
2.5 to 3 mm Wall Thickness

12mm  
Diameter

## TECHNICAL SPECIFICATION

Density

1.13  
GMS/CM<sup>3</sup>

Service Life

7 - 8  
YEARS

Thickness

25 & 30  
MM



# Recommended Application



MULTI PRODUCT VIBRO MACHINE

## Product Gallery




FLY ASH BRICKS, PAVERS, HOLLOW BLOCKS, SOLID BLOCKS, RE BLOCKS AND ALL TYPES OF OTHER FLY ASH / CEMENT BASED PRODUCTS





## OTHER GREEN INNOVATIONS



पर्यावरण प्रहरी

**RAJRATAN<sup>®</sup>**

रक्कड़ बहें - रक्कड़ बहें

**RAJRATAN INDUSTRIES PRIVATE LIMITED**

123-124, First Floor, Shastri Market, Opp. Gandhi Hall, Indore - 452 007(M.P.)  
Ph.: 0731 4088466, 4045302 | Mobile: 9685 927 927 | Email: info@rajratan.in

[facebook.com/rajratangroup](https://facebook.com/rajratangroup) [twitter.com/rajratangroup](https://twitter.com/rajratangroup) [youtube.com/rajratanindia](https://youtube.com/rajratanindia)

Rajratan and PAC are registered Trademark of Rajratan Industries Private Limited. Copyright 2023